

表 水質測定結果(河川)

No.	地点名	採水日	採水時刻	天気	気温	水温	水素イオン濃度(pH)	生物化学的酸素要求量(BOD)	浮遊物質量(SS)	溶存酸素量(DO)	大腸菌群数	
1	鏡川	8/10	14:39	晴	30.3	33.7	8.7	1.3	9	9.7	54,000	
2	戸石川	8/10	14:54	晴	31.6	34.0	8.2	12	13	3.7	#####	
3	皿川	8/1	14:28	晴	31.5	25.2	7.6	0.5>	3	7.5	35,000	
4	大野川	8/1	13:25	晴	35.7	29.7	7.7	0.5>	6	7.2	11,000	
5	神曾根川	8/6	13:05	晴	32.4	33.9	8.8	1.6	2	10	35,000	
6	黒曾根川	8/1	13:10	晴	30.9	29.2	8.0	5.1	5	7.0	5,400	
7	火用心川上流	8/1	11:25	晴	32.3	29.1	8.8	1.0	1	7.2	#####	
8	火用心川中流	8/1	11:20	晴	32.3	31.4	8.5	0.7	6	7.7	54,000	
9	火用心川下流	8/10	14:13	晴	33.7	28.0	7.7	3.2	6	4.0	#####	
10	安満川	8/6	11:01	晴	34.5	34.2	7.8	1.0	5	6.7	54,000	
11	中川	8/6	10:44	晴	34.0	29.2	7.5	1.0	5	8.5	#####	
12	獅子川	8/1	9:51	晴	32.3	24.7	7.8	1.1	7	7.7	35,000	
13	前の川	8/1	10:29	晴	32.6	29.0	7.8	0.9	30	6.0	54,000	
14	中津良川上流	8/6	10:27	晴	31.8	27.4	7.4	1.1	3	5.7	11,000	
15	中津良川下流	8/10	11:45	晴	37.1	31.2	7.8	0.5	6	7.8	5,400	
16	古田川	8/10	10:46	晴	32.3	31.0	7.9	0.8	7	7.2	3,500	
17	江悟の川	8/10	9:49	晴	29.8	26.8	7.7	0.8	12	7.5	9,400	
18	神上川	8/10	10:11	晴	31.4	30.0	7.7	0.8	7	6.4	9,400	
19	馬込川	8/6	10:02	晴	32.3	28.4	7.6	1.1	3	8.6	54,000	
20	敷佐川	8/10	11:29	晴	33.4	28.4	7.4	1.0	2	9.2	14,000	
21	阿那田川	8/6	9:31	晴	31.8	27.2	7.5	0.7	4	6.4	22,000	
22	平川橋(釜田川)	8/3	14:30	晴	32.4	31.5	7.9	1.1	3	8.0	17,000	
23	得利木橋(釜田川)	8/3	8:39	晴	31.4	25.7	7.6	0.6	3	7.3	54,000	
24	久吹ダム	8/3	15:01	晴	33.0	30.5	8.6	1.2	5	9.7	700	
25	迎町川	8/6	14:34	晴	37.2	29.8	7.9	1.5	2	6.6	54,000	
	単位	—	—	—	℃	℃	—	mg/l	mg/l	mg/l	MPN/100ml	
	環境基準値(河川A類型)	—	—	—	—	—	6.5以上 8.5以下	2以下	25以下	7.5以上	1,000以下	
	定量下限値								0.5	1	0.5	2

*備考 は、基準値(参考)超過を示す。